

Dictation and Transcription Accessories

Foot Controls

Headsets

Microphones

Power Supplies

Headset Accessories

Micro Cassette & Eraser

Telephone Record Adapters

PROFESSIONAL DICTATION &
TRANSCRIPTION ACCESSORIES



Index

Infinity Foot Controls

Digital Foot Controls	Pg. 1-2
Analog Foot Controls.....	Pg. 3

Headsets

Specialty Computer Headsets	Pg. 4
Transcription Headsets	Pg. 5-6
Single Ear Headsets	Pg. 6
Multimedia Headsets.....	Pg. 7
Ear Cushions	Pg. 7

Microphones

Gooseneck Microphones	Pg. 8
Tie-Clip Microphones	Pg. 8
Conference Microphones.....	Pg. 9

Telephone Recorder Adapters

Cellular Phone Recording Adapters	Pg. 10
Telephone Record Adapters	Pg. 11
Logger Patches	Pg. 12

Accessories

Power Supplies	Pg. 12
Micro Cassette & Eraser	Pg. 13
Plug Adapters.....	Pg. 13
Headset Tubes, Cords, Buttons	Pg. 14

Computer Foot Controls

IN-DB9

9 pin plug



Computer plug with
9 pin serial port.

IN-BMG

15 pin plug



Computer plug with
15 pin game port.

IN-OS9

9 pin plug



Computer plug with 9 pin serial
port for Olympus PC Systems.

USB Foot Controls

IN-USB-2

Digital Foot Control with USB Computer plug.



INS-USB

Single foot control with a USB plug.

INS-USB
INS-USB-WP
* Waterproof



IND-USB

Double foot control with a USB plug.

IND-USB
IND-USB-WP
* Waterproof

Whether you have analog or digital applications both single and double units are available with customized plugs to fit your every need.

Analog Foot Controls

IN-19 8 pin mini DIN plug



Compatible with most
Olympus models.

IN-20 8 pin mini DIN plug



Compatible with
Panasonic models
RR-830, RR-930, RR-980.

IN-25 8 pin mini DIN plug



Compatible with
Sony M-2000 and
M-2020 models.

IN-75 12 pin Sony plug



Compatible with
Sony 75 and 85 models.

IN-110 6 pin DIN plug



Compatible with
Philips/Norelco models
using a 6 pin DIN plug.

IN-210 3.5mm Stereo plug



Compatible with
Philips/Norelco 700 series
models and Philips Digital
Transcriber model 9750

IN-557 14 pin plug



Compatible to
Dictaphone models
using a 14 pin plug.

IN-585 RJ11 modular plug



Compatible to Dictaphone
models ending in 40's
& 50's using a modular
telephone plug.

IN-765 RJ11 modular plug



Compatible with
Transnet. ***Modular to
USB adaptor required.**

IN-OHF 8 pin mini DIN plug



Compatible with
Olympus hands-free
recording applications.

IN-53, IN-54 IN-92 6 pin DIN plug



Compatible with
Sanyo TRC Models



**Customized Foot
Controls Available.**

Computer Headsets

SP-USB



A true plug and play performer!

- True digital volume control.
- LED computer connection indicator.
- Direct-Connect 2.0 USB plug.
- 10 ft. cord for flexibility at the transcriber's station.
- Lightweight personal headset with a pouch for personal storage.

SP-VC 5



- Deluxe twin speaker headset.
- Volume control and stereo/mono switch.
- 5 ft. cord with a 3.5mm right-angle stereo plug.
- Lightweight personal headset with a pouch for personal storage.

FLX-10



- Deluxe twin speaker headset.
- Volume control and stereo/mono switch.
- Lightweight just a trace over 1 oz.
- 5 ft. cord with a 3.5mm plug.
- Includes a HE-2. (5 ft. stereo cord extender)
- Lightweight personal headset with a pouch for personal storage.

SP-PC



- 10 ft. cord for flexibility at the transcriber's station.
- 3.5mm right-angle stereo plug for computer use.
- Lightweight personal headset with a pouch for personal storage.

Transcription Headsets

SP-RA



Twin speaker mono headset with a 5ft. cord and a 3.5mm plug.

SP-ST
SP-L
SP-DP
SP-N
SP-USB

AL-60



Aluminum hinged-stetho headset with 5ft. cord and 3.5mm right angle plug.

AL-60 L
AL-60 DP
AL-60 N
AL-60 USB

SH-55



Wishbone, Y-shaped headset with 5ft. cord and 3.5mm right angle plug.

SH-55 L
SH-55 DP
SH-55 N
SH-55 USB

SH-50



Hinged-stetho headset with 5ft. cord and 3.5mm right angle plug.

SH-50 L
SH-50 DP
SH-50 N
SH-50 USB

DH-50



Underchin U-Bow headset with 5ft. cord and 3.5mm right angle plug.

DH-50 ST
DH-50 L
DH-50 DP
DH-50 N

LHT-RA



Lightweight bud style headset with 5ft. cord and 3.5mm right angle plug.

LHT-ST
LHT-DP

ULT-200 B (P)



Twin speaker headset with 5 ft. cord and 3.5mm right angle plug storage pouch.

Headset Plug Key

RA



5 ft. cord with 3.5mm right angle plug.

ST



5 ft. cord with 3.5mm straight plug.

L



10 ft. cord with 3.5mm straight plug.

DP



5 ft. cord with a two prong plug compatible with Dictaphone models.

N



5 ft. cord and round DIN plug compatible with Philips/Norelco models.

USB



10 ft. cord digital volume control with a USB plug.

Single Ear Headsets

CL-40



Single-Ear Clamshell Style with a right-angle plug.

SE-USB



Single-Ear headset with digital volume control on a 10ft. cord with USB plug.

Earloop



Flat black plastic earloop for use with any combination of SB speaker buttons and HC Cords found on page 14.

Multimedia Headsets

HP-1



5 ft. cord binaural headset with a 3.5mm mono plug designed for analog transcription.

HP-3



5 ft. cord multimedia headset with two 3.5mm stereo plugs and a flexible boom microphone.

HP-USB



10 ft. cord plug & play multimedia headset with a digital volume control and a flexible boom microphone.


Ear Cushions

SP-EC



Ear cushions for Spectra headsets. (50 pairs per bag)

DH-50 EC



Ear cushions for DH-50 and SH-55 headsets. (50 pairs per bag)

ULTIMA EC



Ear cushions for Ultima headsets. (50 pairs per bag)

HP-EC Foam



Pair of foam ear cushions for the HP-series headsets.

HP-EC LTH



Pair of leatherette ear cushions for the HP-series headsets.

Ear Tips



Plastic Ear tips for SH-50 models. (each)

Gooseneck Microphones

GN-USB-2



Professional 18 inch uni-directional noise canceling gooseneck microphone with illuminated on/off switch and 10 ft. cord and **USB** plug.

GN-3



Professional 18 inch uni-directional noise canceling microphone with 10 ft. cord and 3.5mm **stereo** plug.
(Recommended for PC sound card recording applications)

GN-1



Professional 18 inch uni-directional noise canceling microphone with 10 ft. cord and 3.5mm **mono** plug.

GN-WS

Windscreen for the Gooseneck Microphone.

Tie-Clip Microphones

TCM 50



Tie-clip microphone for powered jacks with 2.5mm or 3.5mm plug on a 4 ft. cord.

TCM-50 A (2.5)
TCM-50 B (3.5)

TCM 100



Tie-clip microphone with 2.5mm or 3.5mm plug on a 6 ft. cord with on/off switch. (Includes battery)

TCM-100 A (2.5)
TCM-100 B (3.5)

Conference Microphones

CM-1000



**3.5mm
Stereo plug
with 8' cord**

Omni-directional conference microphone with 8ft. cord and a 3.5mm stereo plug.

Boundary layer low profile design, with daisy chain capability and 360 degree pickup for exceptional sound quality and maximum coverage.

CM-1000 USB



USB Omni-directional conference microphone with a 10 Ft. cord and USB Plug.

On board USB sound card delivers high quality digital stereo recording. Daisy chain capability and 360 degree pickup for maximum coverage.

CM-Zip Pouch



Padded four pocket pouch. Designed to hold CM-1000USB and CM-1000 microphones.

CM-909



Omni-directional conference microphone with 10 ft. cord and 3.5mm plug for powered jacks.

CM-909 S



Omni-directional conference microphone with 10 ft. cord (with battery). Available with a 2.5mm or a 3.5mm plug.

Cell Phone Record Adapter

CC-10



Record coupler with single plug, designed for all **cellular** and **cordless** telephones. Available in a 2.5mm or 3.5mm recorder plug.

CC-20



Hands free record coupler with 2.5mm or 3.5mm recorder plug. Designed for all **cellular** and **cordless** telephones equipped with 2.5mm jack.

CC-30



Record adapter designed for use with your personal hands free cellular or cordless headset. Available with 2.5mm or 3.5mm recorder plug.


Cell Phone Record Adapter

CC-40



Easy to store, easy to carry, easy to connect!

3.5mm plug is a quick-connect to all smart phones



Smart Phone hands free headset/record adapter. Equipped with one 3.5mm four position/three band Smart Phone plug and one 3.5mm recorder plug.

CC-20 3.5 ADP



CC-20 and CC-30. Converts 2.5mm TWO band plug to 3.5mm THREE band plug.

Telephone Record Adapters

TRX-20 2.5



- Telephone record coupler with 3 ft. cord and 2.5mm plug.
- Recommended for ANALOG recorders with 2.5mm mic jacks.

TRX-20 3.5



- Telephone record coupler with 3 ft. cord and 3.5mm plug.
- Recommended for DIGITAL recorders with 3.5mm mic jacks.

TRX-50



- Telephone record coupler with 6 ft. cord and 3.5mm plug.
 - Provides audible BEEP heard by both parties. Features Beep Volume control and Beep on/off switch.
- * Includes PA-1, 3.5mm to 2.5mm adapter.*

LRX-35



Telephone HANDSET record coupler. Designed for PC sound card recording applications. Hard-wired 10 ft audio output cord with 3.5mm plug.

LRX-37 C



Telephone LINE coupler. Connects analog audio from RJ-11 wall jack to your PC's sound card.

LRX-40USB



- NEW**
- USB Telephone HANDSET Record Adapter
- Designed for PC or Mac.
 - Digital quality audio.
 - Record level adjustment dial.
 - Handset selector switch.
 - Multi color LED mode indicator.
 - Includes 6' USB A-B cable.

Logger Patches

LRX-30



Telephone logger patch designed for standard wired handset cords. Hard-wired 7 ft. audio output cord with RJ-11 plug.

LRX-30A



Amplified telephone logger patch designed for standard wired handset cords. Hard-wired 7 ft. audio output cord with RJ-11 plug.

LRX-30AB



Amplified telephone logger patch with audible BEEP tone, designed for standard wired handset cords. Hard-wired 7 ft. audio output cord with RJ-11 plug.

Power Supplies

AC-317

3-volt AC adapter compatible with Olympus models S9501, S830, S832, L400. Also fits other brand portable models.

AC-321

3-volt AC adapter compatible with Olympus DM, DS, L, J and S portable recorders. Also most Sony ICD, M, BM and TCM portable recorders.

PS-160

6 volt power supply compatible with Lanier Desktops. Replaces APS-160.

PS-315

16-volt power supply compatible with Dictaphone Express Writer models 1740's, 1750's, 2740's, S740's and 3750's series.

PS-980

9-volt power supply compatible with all Sony BM desktop models.

PS-3CV-120B

3-volt power supply compatible to most Sanyo portable models.

Micro-Cassette & Eraser

MC-45



45 minute (22.5 minutes on each side)
Olympus licensed micro cassette.
Individually wrapped in a clear box.

ME-20



Mini-Micro cassette eraser with magnets
on top and bottom.

Plug Adapters

PA-1

Adapter converts 3.5mm plug
down to a 2.5mm plug.

PA-2

Adapter converts 2.5mm plug
up to a 3.5mm plug.

DP-3.5 ADP

Adapter that converts a 3.5mm
jack to a 2 prong Dictaphone plug.

PA-3.5Y Mono

Connects two mono
3.5mm plugs into one
mono 3.5mm jack.

PA-3.5Y Stereo

Connects two stereo
3.5mm plugs into
one stereo 3.5mm jack.

PA-3.5YLR

Connects two
3.5 mm jacks
(one Left
channel
and one
Right channel)
into one 3.5mm
stereo plug.



Headset Accessories

Headset Tubes

AL-60 T	Aluminum-hinged stetho-style tube with plastic ear tips.
DH-50 T	Under-chin bow tube with extra ear cushions.
SH-50 T	Hinged stetho-style tube with plastic ear tips.
SH-55 T	Wishbone, Y-shaped tube with ear cushions.

Headset Cords

HC-RA	5 ft. headset cord with 3.5mm right-angle plug.
HC-ST	5 ft. headset cord with 3.5mm straight plug.
HC-DP	5 ft. headset cord with two prong plug for use with Dictaphone.
HC-N	5 ft. headset cord with round DIN plug for use with Norelco/Philips.
HC-RA 10 ft.	10 ft. headset cord with a right-angle 3.5mm plug.
HC-ST 10 ft.	10 ft. headset cord with a straight 3.5mm plug.

Headset Speaker Buttons

SB-8	8 ohm speaker button for Sony, Sanyo, Olympus, and many more.
SB-100	100 ohm speaker button for Dictaphone headsets using a two prong plug.
SB-1000	1000 ohm speaker button for Philips/Norelco headsets using a round DIN plug.

Headset Cord Extender

HE-1



Mono headset cord extender with 5 ft. cord.

HE-2



Stereo headset cord extender with 5 ft. cord.

Computer Compatible Accessories

Headsets

Foot Controls

Telephone Recording Products

Microphones

Cassettes & Cassette Eraser

Power Supplies

Headset Accessories

**WE ARE THE SOURCE FOR
ALL YOUR DICTATION & TRANSCRIPTION ACCESSORIES**